IN THE UNITED STATES PATENT AND TEMPERARK OFFICE Atty Dkt. 737-235 In re Patent Application of C# M# TC/A.U. 3752 SESSER et al. Examiner: Nguyen Serial No. 10/634,74 Date: October 27, 2005 Filed: August 6, 200 FLOW RATE SPRINKLER **ADJUSTABLE** Title: Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450 Sir: RESPONSE/AMENDMENT/LETTER This is a response/amendment/letter in the above-identified application and includes an attachment which is hereby incorporated by reference and the signature below serves as the signature to the attachment in the absence of any other signature thereon. ☐ Correspondence Address Indication Form Attached. Fees are attached as calculated below: minus highest number Total effective claims after amendment 31 25.00 (at least 20) = x \$50.00 \$50.00 (1202)/\$25.00 (2202) \$ previously paid for 30 minus highest number Independent claims after amendment \$0.00 (1201)/\$0.00 (2201) \$ x \$200.00 previously paid for 4 (at least 3) =If proper multiple dependent claims now added for first time, (ignore improper); add \$360.00 (1051)/\$180.00 (2051) \$ Petition is hereby made to extend the current due date so as to cover the filing date of this One Month Extension \$120.00 (1251)/\$60.00 (2251) paper and attachment(s) Two Month Extensions \$450.00 (1252)/\$225.00 (2252) Three Month Extensions \$1020.00 (1253/\$510.00 (2253) Four Month Extensions \$1590.00 (1254/\$795.00 (2254) \$ \$130.00 (1814)/ \$65.00 (2814) Terminal disclaimer enclosed, add Statement filed herewith Applicant claims "small entity" status. \$180.00 (1806) \$ Rule 56 Information Disclosure Statement Filing Fee \$ \$40.00 (8021) Assignment Recording Fee \$ Other: 25.00 **TOTAL FEE ENCLOSED \$**

The Commissioner is hereby authorized to charge any <u>deficiency</u>, or credit any overpayment, in the fee(s) filed, or asserted to be filed, or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our Account No. 14-1140. A <u>duplicate</u> copy of this sheet is attached.

901 North Glebe Road, 11th Floor Arlington, Virginia 22203-1808 Telephone: (703) 816-4000 Facsimile: (703) 816-4100

MJK:rrl

NIXON & VANDERHYE P.C.

By Atty: Michael J. Keenan, Reg. No. 32,106

Signature:

In re Patent Application of

SESSER et al.

Atty. Ref.: 737-235; Confirmation No. 7862

Appl. No. 10/634,747

TC/A.U. 3752

Filed: August 6, 2003

Examiner: Nguyen

For: ADJUSTABLE ARC, ADJUSTABLE FLOW RATE SPRINKLER

* * * * * * * * * *

October 27, 2005

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

AMENDMENT

In response to the official action of August 8, 2005, please amend the above-identified application as follows:

Amendments to the Specification begin on page 2.

Amendments to the Claims are reflected in the listing of claims which begins on page 3.

Remarks/Arguments begin on page 11.

10/28/2005 JADDO1

00000108 10634747

01 FC:2202

25.00 OP